ORDER FORM AZTECK POOL KITS



Customer N°:	Customer refere	ence: Order form date:			
Company contact details: Surname: Postcode: City: Country: Phone: E-mail:		Delivery address: Name: Address: Postcode: City: Country: Phone (person to contact): Access: Semi-trailer Carrier Carrier Till in the truck access checking guide on p. 43.			
POOL SHAPE AND DIMENSIONS (in m)					
□ Ø 4.40 □ Ø 5.40 □ Ø 5.40 □ 3.00 × 3.00 □ 3.50 × 3.50 □ 4.05 × 4.05	4.00 × 5.60 4.00 × 7.30 4.00 × 8.90	2.50 x 5.10 3.00 x 3.50 3.50 x 5.10 3.50 x 6.7	0 4.05 x 5.60 4.05 x 7.30 2 4.05 x 7.30 4.05 x 8.90		
CHOICE OF INSTALLATION			LINER COLOUR CHOICE		
	alf-inground	Inground	Beige White Steel grey Adriatic blue		
COLOUR OF THE CASING*		W. W. C. 17 O. C. I			
3	ate grey (dark)		ove-ground ; 3 + 1 for half-inground ; 1 for inground		
	late grey (dark)	Slate grey (dark) Iroise grey + 1 slate gre	v helt (dark)**		
State grey (dark) State grey (dark) Exotic brown (dark) Exotic brown (dark)		Exotic brown (dark)			
Exotic brown (dark) Exotic brown (dark) Exotic brown (dark) Exotic brown (dark)		Colorado brown (light)*** + exotic brown belt (dark)**			
Colorado brown (light)*** C	, ,				
Colorado brown (light)*** C			colorado brown*** belt** (light)		
* No mixed choice of colour for inground ver ** Belt for above-ground installation = 2 row *** Subject to availability.	rsion.				
ACCESSORIES					
Filter cartridge - ref. CC5	_	oroducts :- ref. SILVANET ox - ref. A-P39437			
OPTIONS					
Automatic slatted cover Rollenergy Evolution - Please co Rolleasy 2 - Please complete the 4-seasons cover Equinox - Please of Summer cover - ref.: Reel system for summer cover Vega reel ref. W-ENPT01200 Vega mobile reel ref. W-ENPT012 Orion reel ref. W-ENPT02200 Orion removable reel ref. W-P393 Winter cover - ref.:	e corresponding ordecomplete the corresponding ordecomplete th	er form.	Skimdress (Azteck built-in pump room Standard Skimdress for cartridge filts XL Skimdress for sand filter Chlorinator Heat pump - ref.: By-pass For standard Skimdress ref. BPHSPAG For XL Skimdress RGB bulb for LED projector		

ROLLEASY 2 AUTOMATIC COVER FOR AZTECK POOL KITS (1/2)

Customer N°:	Customer refer	ence:	Order form date:	
Company contact details: Surname: Postcode: City: Country: Phone: E-mail:		Delivery address: Name: Address: Postcode: Country: Phone (person to contact): Access: Semi-trailer Carrier Other: Fill in the truck access checking guide on p. 43.		
			ts of the pool, please indicate the invoice iginal cover made:	
VERSION				
☐ Manual ☐ Electric ☐ Solar				
END-STAND COLOUR (by default, they wi	ll be white)			
☐ Beige RAL 1015 ☐ Grey RAL 704 ☐ Dark grey RAL 7016 ☐ Black RAL 906		green RAL 6005	For all these colours: 10 days extra lead time	
CLOSING CONTROLS				
Maintain contact (default choice)] Impulse on			
OPTIONS				
	Yes Yes No			
SLATS				
Opaque PVC 69 slats ☐ White ☐ Beige ☐ Grey Solar polycarbonate slats - 69 mm	Blue*			
Crystal black Silver Crystal blue* Crystal* Crystal brown* Crystal green* (Polycarbonate slats are not compatible with bromine treatments)				
O Leave one slat out of three without end By default, all the endcaps will be fitted.	dcap to ease th	e sliding of the slats: () AD s	side BC side * Additional lead time.	
LOCKING KITS				
Pushlock (flat hanging fittings): White Beige Grey Blue				
WINTER SHIFT / PROTECTIVE COVERING				
Ivernea: Yes (please complete the Ivernea Plus: Yes (please complete the		. =		

ROLLEASY 2 AUTOMATIC COVER FOR AZTECK POOL KITS (2/2)

Customer N°: Customer reference: Order form date: Company: POOL SHAPE AND DIMENSIONS (in m) Rectangular Mixed Square 3.00 x 3.00 \square 2.50 x 5.10 \square 3.50 x 8.30 3.50 x 3.50 \square 3.00 x 3.50 \square 4.05 x 5.60 \square 3.50 x 5.10 \square 4.05 x 7.30 4.05 x 4.05 \square 3.50 x 6.70 \square 4.05 x 8.90 Fill in the dimensions below TAKING POOL MEASUREMENTS INTERIOR POOL DIMENSIONS TO BE TAKEN AT THE WATER LINE AFTER COATING HAS BEEN MADE - MIXED-SHAPE AZTECK POOL KIT A1=.....cm B1=.....cm A 2 = cm B 2 = cm 5 8 6 ا A 3 = cm B 3 = cm CI A 4 = cm B 4 = cm A 5 = cm B 5 = cm A 6 = cm B 6 = cm B 7 = cm A 7 = cm 12 B 8 = cm A 8 = cm cm cm CH B 9 = cm A 9 = cm C - 12 A 10 = cm B 10 = cm B 11 = cm A 11 = cm A -B B 12 = cm A 12 = cm 5 - 8 = cm 2 - 5 = cm 8 - 11 = cm C - 1 = cm C - 12 = cm ADDITIONAL INDICATIONS IF REQUIRED C **TUBE / REEL SYSTEM SIDE**

ROLLENERGY EVOLUTION AUTOMATIC COVER FOR AZTECK POOL KITS (1/2)

Speed f Slatted Cover Yes	fabrication required:	FROM NOVEMBER TO MARCH D+5	APRIL D+6	FROM MAY TO AUGUST D+7	SEPTEMBER, OCTOBER D+6			
Customer N°:	Customer re	ference: Order form date:						
Company contact details:		Delivery address:						
Surname:								
Postcode: City:	Postcode: City:			Address:				
Country:	Country:			Postcode: City:				
Phone:	none:			Country:				
E-mail:				nct):				
		Access: Semi-trailer Carrier Other:						
		id taking again measurer number or reference of th						
Comfort								
CONTROL	☐ Wi-Key ☐ Key s	witch Insert mount ke	y switc	h (indoor use)				
CLOSING CONTROL	Maintain contact (d	default choice) 🔲 Impuls	e on					
OPTIONS								
Adaptation kit for Azteck pools	⊠Y	/es						
Junction box	_	∕es □ No						
Junction box gel (set of 2 cartrid	_	∕es						
Earth-grounding:	Ø 50 mm	=						
AL 470	Ø 63 mm 📙 Y	∕es ∐No						
SLATS On a sup DVC 40 plants								
Opaque PVC 69 slats White Beige G	Grey □Blue*							
Leave one slat out of three By default, all endcaps will be	e without end cap to ec	ase the sliding of the slats: (AD si	ide OBC side				
Solar polycarbonate slats – 69 r	mm (not compatible with b	promine treatment)						
Crystal black Silver	Crystal blue*	Crystal* Crystal b	rown*	Crystal green*	F			
Leave one slat out of three By default, all endcaps will be		ase the sliding of the slats: () AD si	de BC side				
Opaque PVC 84 slats								
☐ White ☐ Grey								
					* Additional lead time.			
LOCKING KITS								
Pushlock (flat hanging fitting	gs): O White O Beig	e O Grey O Blue						
BEAM								
BEAM TYPE - (two 100 x 100 mm To be delivered: ☐ Yes ☐ No			ORT TYF	PE ed: Yes No	D .			
DECKING								
Smooth teak decking 65 cm Aluminium decking 65 cm:) White \(\text{\text{Beige}}\)	○ Grey Options for alum	ninium (decking: Non-slip	tape Cleaner			
SECURIWALL								
Yes: White Beige Grey No								
WINTER SHIFT / PROTECTIVE CO								
	OVERING							

Remember to complete the order form on the next page.

ROLLENERGY EVOLUTION AUTOMATIC COVER FOR AZTECK POOL KITS (2/2)

Customer N°: Customer reference: Order form date: Company: POOL SHAPE AND DIMENSIONS (in m) Square Rectangular Mixed 2.50×5.10 3.50×8.30 __ 3.00 x 3.00 3.00×3.50 4.05×5.60 3.50 x 3.50 4.05 x 4.05 3.50×5.10 4.05×7.30 \square 3.50 x 6.70 \square 4.05 x 8.90 Fill in the dimensions below. TAKING POOL MEASUREMENTS INTERIOR POOL DIMENSIONS TO BE TAKEN AT THE WATER LINE AFTER COATING HAS BEEN MADE - MIXED-SHAPE AZTECK POOL KIT A1=.....cm B1=.....cm A 2 = cm B 2 = cm 5 8 6 7, A 3 = cm B 3 = cm A 4 = cm B 4 = cm CL A 5 = cm B 5 = cm A 6 = cm B 6 = cm 10 A 7 = cm B 7 = cm 12 A 8 = cm B 8 = cm A 9 = cm B 9 = cm cm cm A 10 = cm B 10 = cm A 11 = cm B 11 = cm C - 1 C - 12 A 12 = cm B 12 = cm 2 - 5 = cm 5 - 8 = cm CJ Α В 8 - 11 = cm C - 1 = cm C - 12 = cm Beam spacing: 60 cm 12.5 cm from the edge of the coping cm cm C ADDITIONAL INDICATIONS IF REQUIRED cm **TUBE** / REEL SYSTEM SIDE Pit width at axle levelcm

Crank - ref. P-ECCS01100
Wheel - ref. P-ECCS01200

EQUINOX COVER FOR AZTECK POOL KITS

Customer N°:		Customer reference:		Order form date:		
Company contact deta Surname:	y:	Name Addre Postc Coun Phone	ery address: ess: ode: try: e (person to contact): ss: Semi-trailer Carrier Other: the truck access checking guide on p. 43.			
DEL Comfort					NF P NORM 90-308 SAFETY	
ROLLER						
Telescopic shaft						
COLOURS						
Bright grey (beige undersi	de)					
AZTECK POOL KIT MODE	L					
Shape	Dimensions (in m)	Equinox cover reference	Shape	Dimensions (in m)	Equinox cover reference	
	☐ Ø 4.40 ☐ Ø 5.40 ☐ 3.00 × 3.00 ☐ 3.50 × 3.50 ☐ 4.05 × 4.05	P-SSEA54444.C3 P-SSEA55454.C3 P-SSEA13130.C3 P-SSEA13535.C3 P-SSEA14140.C3		2.50 × 5.10 3.00 × 3.50 3.50 × 5.10 3.50 × 6.70 3.50 × 8.30 4.05 × 5.60 4.05 × 7.30 4.05 × 8.90	P-SSEA42551.C3 P-SSEA43035.C3 P-SSEA43551.C3 P-SSEA43567.C3 P-SSEA43583.C3 P-SSEA44156.C3 P-SSEA44173.C3 P-SSEA44189.C3	
ROLLING SYSTEM	4.00 x 5.60 4.00 x 7.30 4.00 x 8.90	P-SSEA34056.C3 P-SSEA34073.C3 P-SSEA34089.C3		4.05 x 5.60 4.05 x 7.30 4.05 x 8.90	P-SSEA24189.C3 P-SSEA24173.C3 P-SSEA24189.C3	

TRUCK ACCESS CHECKING GUIDE

Company name:	С	Customer reference:	
1 INFO			
To allow us to deliver to you with maximum all liability in the event of the required deliverovided. Any new deliveries will be invoiced	very location being ina	accessible due to the indication	We decline as you have
ORDERED EQUIPMENT			
Pool kit			
ROAD SIGNAGE LEADING TO THE REQUEST	ED DELIVERY POINT		
Have you already seen this type of that leads to the requested delivery			
Yes If so, please indicate which ones:			
□No			
ACCESS TO THE REQUESTED DELIVERY POIN			
Below are different vehicle types. Indicate wi	hich types are likely to b	be able to pass in front of the re	equested delivery location.
0-00-00-00-	0000	000	
Tractor + trailer (38 tonnes): Ser	mi-trailer (38 tonnes):	Small carrier (19 tonnes):	Small truck (6 tonnes):
Yes No	Yes No	Yes No	Yes No
	ncrete mixer trucks:	Fuel delivery trucks:	Small van:
TRUCK CLEARANCES: DETAILS			
Be careful of the truck clearance: Is the deliv	very address subject to		of roads: Yes No
OTHER INDICATIONS, PLEASE DESCRIBE			