

Original
ZODIAC

MADE IN EUROPE
2-YEAR WARRANTY

P O O L O F

fun







Enjoy an
exclusive
family experience




A unique concept *and* a proven technology for decades

Zodiac Original pools have made history through innovations. For more than 30 years, Zodiac Original has been enjoying a reputation thanks to its exclusive fabric and technical process.




PATENTED SYSTEM

100 % MADE IN EUROPE




WINKY & OVLINE

air-water balance




The water in the pool creates an increasing pressure ① with the depth. The water flows from the pool to the flange through openings at the bottom of the flange ②.

The pressure of the water is then applied to the air trapped by the flange ③. This ensures that the pool remains stable.



HIPPO

water-water balance




The rectangular structure of the pool naturally balances the pressures: the water pressure in the pool ④ is balanced by the water pressure in the flange ⑤.

This ensures an unmatched reliability when installing and using the pool.




A soft fabric without compromising *on durability*



DYNALON®

Zodiac Original pools are made of Dynalon®, a very high quality material that has already been tried-and-tested in the world of inflatable boats. It is made of a dense reinforced polyester textile support which pushes back the limits of resistance to tearing, abrasion and climatic aggressions (rain, UV...).



THERMAL BANDING

Is an industrial process developed from aeronautical techniques. It consists of a hot assembly of the fabric. It ensures the constant quality of the Dynalon® panels assembly. During manufacture, the pools are subjected to a range of tests that exceed normal conditions of use, in order to ensure their strength and resistance to pressure and impact.

Enjoy your pool *quickly*

Zodiac Original has all the advantages of a traditional pool without the disadvantages!

Parcels can fit through a standard door opening, making installation possible even in difficult-to-access areas.

On a previously prepared site, no specific tools are necessary to build the pool which can be installed by two people in 3 to 6 hours depending on the model. It can be easily removed and stored away at the end of the summer.


HEAT PUMP

Make the most of your leisure time thanks to our range of heat pumps that allows you to enjoy swimming longer over the year!





Scan to discover
the step-by-step
installation video



A welcoming *and* safe pool

A Zodiac Original pool has no metal structure or sharp edges. Its round shapes, as well as the smooth, solid and wide wall of the flange, protect children from possible injuries. An inflation cap completes the protection.

The size and depth of the pool are ideal for learning how to swim.


The above-ground installation and the height of the pool create enough obstacle to comply with the French safety standard for private pools (pool height > 1.10 m between two fulcrum points).

Moreover the pool is equipped with a liftable ladder **1** **2** and a peripheral halyard **3** which make access and use safe for young children.



The Zodiac Original pool is not compatible with a salt electrolysis unit.





A self-heating *pool*

Thanks to its unique system of water circulation, the flange of a Winky or Ovline Zodiac Original pool acts as a heat exchanger. The sun heats the flange, the air trapped in the flange rises in temperature and heats the water it contains. This heated water is then pumped back into the pool. As a result, the temperature rises faster and is on average higher than in any other above-ground pool (up to +2.5 °C).







A real *leisure* beach



Much more than a swimming area, the Zodiac Original pool also offers the advantage of a wide, rounded beach. While some enjoy the pleasures of the water, it allows others to relax on the edge.

Reading, sunbathing, relaxing...
The possibilities are endless.




Zodiac Original

collection


SHAPE	MODEL	TOTAL STRUCTURE HEIGHT* (m) ± 5 cm	SURFACE AREA ON THE GROUND (m)	WATER SURFACE AREA (m)	CAPACITY (m ³)
	WINKY 4	1.20	Ø 5.00	Ø 3.80	12
	WINKY 5/105	1.20	Ø 6.30	Ø 4.70	23
	WINKY 5/120	1.25	Ø 6.55	Ø 4.70	24
	WINKY 6	1.25	Ø 7.50	Ø 5.90	37
	WINKY 8	1.30	Ø 9.50	Ø 7.75	50
	OVLINE 2000	1.10	5.00 x 7.00	3.00 x 5.80	25
	OVLINE 3000	1.30	6.30 x 9.20	3.50 x 7.20	38
	OVLINE 4000	1.30	7.30 x 11.20	4.50 x 9.20	50
	HIPPO 40	1.25	7.70 x 11.80	5.00 x 9.00	40
	HIPPO 65	1.30	8.20 x 16.55	4.60 x 13.50	65

* The water height is 10-15 cm from the top of the structure.




WINKY

Flexible leisure space suitable for all sizes and shapes of gardens.



OVLINE


When an optimised swimming area coexists with a large relaxation space.



HIPPO


A long pool for both swimmers and the whole family to enjoy!

Discover the various options




UNDERLAY (groundsheet)

The rot-proof underlay is an ideal solution for protection against soil imperfections.



HEAT PUMP

Our reversible heat pumps cool the water in summer and heat it the rest of the year. It is one of the most efficient and environmentally friendly pool heating solution available.




BUBBLE COVER FOR THE SUMMER

This transparent cover allows the sun's rays to pass through and heat the water. The cover is made of blue bubbles that create an insulating air mattress, thus limiting heat loss and water evaporation.



REEL SYSTEM FOR BUBBLE COVER

Mobile manual reel system for easy installation and removal of the bubble cover.



WINTER COVER

Winter cover* to protect the pool from the inconveniences of winter (leaves, dirt...). Available in grey (Winky pools) or navy blue (Ovline and Hippo pools).

This winter cover cannot be considered as a safety cover according to the requirements of the French NF P 90-308 safety standard.

Details available on request.

ZODIAC ORIGINAL



Bubble cover on Winky model

Kit

composition



A Zodiac Original kit contains : the pool, a stainless steel safety ladder, a sand filter, a filtration pump, one or two floating skimmers (depending on the size of the pool), an electric inflator, a set of 38 mm diameter hose connections, and assembly instructions.

Optimal filtration

The first filtration of the water is carried out by the floating skimmer which can be placed anywhere in the pool. The sand filter, powered by the filtration pump, takes care of the rest in order to reinject clear water into the pool. The filter and the pump are to be placed in a watertight and ventilated technical room (not supplied).



Easy to use



Check with your local town hall to make sure that there are no specific local regulations for the installation of your swimming pool.

You are only one step away from enjoying it!

Manufacturer: DEL SAS. In an effort to continually improve the quality of its products, DEL SAS reserves the right to modify or discontinue any model presented in this documentation. All the measurements that are indicated are given as an indication and may vary depending on necessary manufacturing tolerances. The availability of certain models can also vary. Document not contractually binding. DEL SAS with a capital of 2 300 000 € - RCS 303355671
Rennes - ZA La Croix Rouge - 35530 Brécé - FRANCE • Graphic creation: deuxpointdeux.com - meriadeg.com
© DEL SAS, Jérôme Ganiovecchiolino, David Piolé, Ludozme, DEL SAS • 01-24 • A-DBRO15101.L1

Original
ZODIAC

100 % MADE IN EUROPE
2-YEAR WARRANTY

Scan
for more



www.zodiacoriginal.eu

Your pool expert

a brand by

